JOURNAL OF PHYSICS C

SOLID STATE PHYSICS

Vol. 4 1971 No. 1

LETTERS

Application of the *f*-sum rule to the band edges of several semi-conductors . . R. DALVEN L1
The high temperature susceptibility of the anisotropic Heisenberg model . . . . . D. E. RIMMER, N. W. DALTON, and D. W. WOOD L4
Sound velocities in polycrystalline krypton . . . D. S. KUPPERMAN, and R. O. SIMMONS L6
Cyclotron resonance of the polaron in the alkali and silver halides III . . . J. W. HODBY L9
Orthorhombic iron centres in muscovite and phlogopite micas . . . . R. C. KEMP L12
Green functions, surfaces and impurities . . . . . J. E. INGLESFIELD L14
Optical studies of metal–semiconductor transmutations produced by intercalation . . . . . J. V. ACRIVOS, W. Y. LIANG, J. A. WILSON and A. D. YOFFE L18
Nuclear spin lattice relaxation and stochastic isotropic translations of protons in elastomers and glycerol . . . . . R. LENK L21
Cyclotron resonance and Hall measurements on the hole carriers in GaAs . . . . . A. L. MEARS and R. A. STRADLING L22
Resistivity of antiferromagnets above the Néel temperature . . . . . S. MARČELJA L26

PAPERS

Comments upon the exact propagator for an electron in a uniform electric field A. R. WHITCOMBE 1
Formulation of the lattice dynamics problems in terms of rigidly moving Wannier functions . . . . . L. G. FERREIRA 3
Form factors and moments of Wannier function distributions in the nearly free electron limit . . . . . L. G. FERREIRA and N. J. PARADA 15
Formulation of the lattice dynamics problem in terms of rigidly moving Wannier functions II: electron–phonon interaction . . . . . L. G. FERREIRA and G. W. PRATT Jr. 20
The thermal diffuse scattering of x-rays and molecular dynamics of hexamethylenetetramine . . . . . B. M. POWELL and E. SANDOR 23
A natural form for large amplitude time-periodic acoustic travelling waves in piezoelectric semiconductors . . . . . P. N. BUTCHER 36
High-field Hall mobility of n-type silicon including the effect of magnetic field on the carrier distribution function . . . . . P. K. BASU and B. R. NAG 44
Magnetic domain structure of terbium single crystals W. D. CORNER and T. S. AL-BASSAM 47
Spin-correlation functions in the paramagnetic phase of a Heisenberg ferromagnet . J. HUBBARD 53
Spin dynamics in Tb studied by critical neutron scattering O. W. DIETRICH and J. ALS-NEILSEN 71
Magnetic relaxation in anisotropic magnets . . . . . P. A. LINGÅRD 80
The excitation mechanisms of rare earth emisions in the thioindates M. R. BROWN and W. A. SHAND 83
Optical properties of vitreous arsenic trisulphide . . . . . P. A. YOUNG 93
An epr study of vacancy–impurity association in MgO . . . . . B. HENDERSON, J. E. WERTZ, T. P. P. HALL and R. D. DOWSING 107
An nmr study of ferrous fluosilicate . . . . . D. B. UTTON 117

BOOK REVIEWS 126

CORRIGENDUM 128

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but an abstract in English must be provided. Papers should be submitted to The Institute of Physics and The Physical Society, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics and The Physical Society, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 1971 No. 2

LETTERS TO THE EDITOR

The correlation between the spins of the conduction electrons and that of a magnetic moment in a superconductor . . . B. G. S. Doman and T. Gavan L31
Magnetic quenching of the long-living state of the positron in KCl containing F-centres . . . A. Bisi, A. Dupasquier and L. Zappa L33
The localized vibrations of nitrogen in gallium phosphide . R. C. Newman and F. Thompson L36
Cyclotron resonance with epitaxial films of n-type InP . . . J. M. Chamberlain, P. E. Simmonds, R. A. Stradling and C. C. Bradley L38
The magnetophonon effect in epitaxial films of n-type InP . L. Eaves, R. A. Stradling, S. Askenazy, J. Leotin, J. C. Portal and J. P. Ulmet L42
Infrared lattice vibrational spectrum of CaF_2 . . . J. P. Srivastava and R. D. Singh L47
Comments on the derivation of band-tailing in disordered systems by maximization methods . . . K. E. Khor L50

PAPERS

The viscosity of liquid helium 3 . . . M. A. Black, H. E. Hall and K. Thompson 129
Lattice distortion near vacancies in diamond and silicon–I . . . F. P. Larkins and A. M. Stoneham 143
Lattice distortion near vacancies in diamond and silicon–II . . . F. P. Larkins and A. M. Stoneham 154
Moment calculations in lattice dynamics II . . . C. Isenberg 164
The detection of longitudinal optic modes by the infrared reflection technique . . . M. M. Hargreave 174
Resonant polaron damping of de Haas–Van Alphen oscillations in polar semiconductors . . . P. G. Harper and M. Allegrini Arimondo 181
Remark on the existence of localized states . . . G. Lehmann 187
Influence of strain due to impurities on the electron mobility in silicon . . . O. P. Daga and W. S. Khokle 190
Space charge waves in solids . . . A. K. Jonscher and K. S. Rodger 194
The influence of uniaxial stress on the infrared free carrier Faraday effect in n-type silicon and germanium . . . A. K. Walton, P. L. Reimann and C. R. Everett 201
Effect of crystal rotation on quadrupolar T_1 . . . A. Ramakanth 223
Orientation dependence of the nuclear quadrupole relaxation in crystals . . . R. E. Snyder and D. G. Hughes 227
Electric field-induced changes in the two-phonon infrared absorption spectrum of diamond . . . J. F. Angress and A. J. Maiden 235
The vibrational spectrum of zircon ($ZrSiO_4$) . . . P. Dawson, M. M. Hargreave and G. R. Wilkinson 240

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but an abstract in English must be provided. Papers should be submitted to The Institute of Physics and The Physical Society, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics and The Physical Society, Netherton, House, 23/29 Marsh Street, Bristol BS1 4BP, England

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 · 1 March 1971 · No. 3

LETTERS TO THE EDITOR

Lattice Green function for the anisotropic face centred cubic lattice . . G. S. JOYCE L53
Narrow band solution to the Hubbard model . . . . . W. D. LANGER L56
Partition function of a disordered system . J. S. ROUSSEAU, J. C. STODDART and N. M. MARCH L59
A note on the theory of Brillouin scattering in molecular crystals . . B. V. THOMPSON L61
Increased tuning range of intense magneto spin-flip scattering of 10·6 μm radiation in InSb . . R. L. ALLWOOD, R. B. DENNIS, S. D. SMITH, B. S. WHERRETT and R. A. WOOD L63
F centre production by ultraviolet light in LiF . . . J. C. PIGG and E. SONDER L67
A note on two methods of calculating the thermodynamic properties of the Heisenberg antiferromagnet . . . . . E. A. G. ARMOUR L69

PAPERS

X-ray study of neutron irradiated diamonds . . . . . E. R. VANCE 257
Potential of charge distributions in point charge lattices part I: The method . . . . . R. D. BROWN and B. W. N. LO 263
Potential of charge distributions in point charge lattices part II: Applications . . . . . R. D. BROWN and B. W. N. LO 277
Lowest-order anharmonic thermal scattering of x-rays J. D. PIRIE, J. S. REID and T. SMITH 289
A Born model calculation of the energies of vacancies, ion interstitials and inert gas atoms in calcium fluoride . . . . . M. J. NORGETT 298
Higher order multipole three-body van der Waals interactions and stability of rare gas solids . . . . . M. B. DORAN and I. J. ZUCKER 307
Use of the drone-fermion representation part I: thermodynamic properties of an interacting spin-phonon system . . . . . F. W. SHEARD and G. A. TOOMBS 313
Stored energy release of solid argon after reactor irradiation at 4·6 K . . . . . G. WEHR, K. BÖNING, J. KALUS, G. VOGL and H. WENZL 324
Effects of neutron irradiation on strain-amplitude dependent internal friction in sodium chloride single crystals . . . . . I. E. FRENCH and R. W. HARRIS 331
Effect of atomic cores on electron tunnelling through dielectric layers . . . . . A. MODINOS and A. THEOPHILOU 338
The dependence of the electrical resistivity on short-range order . . . . . P. L. ROSSITER and P. WELLS 354
Microwave transmission through p-type germanium . . G. P. SRIVASTAVA and A. K. JAIN 364
Evidence for paramagnetic spin–phonon coupling through modulation of isotropic exchange interactions . . . . . S. F. J. COX, J. C. GILL and D. O. WHARMBY 371
Nuclear magnetic resonance spectra of rapidly-rotated solids containing reorienting molecular groups . . . . . E. R. ANDREW and A. JASINSKI 391

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but a title, abstract and figure caption in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 29 March 1971 No. 4

LETTERS TO THE EDITOR

Derivation of the coherent potential approximation from the atomic limit in the disordered alloy problem . . . F. DUCASTELLE L75

PAPERS

Auxiliary fields and linear response in Larangian many body theory . D. SHERRINGTON 401

The low temperature heat capacity of thallous bromide . R. M. BRADE and B. YATES 417

The cancellation theorem in pseudopotential theory . . . . . J. B. PENDRY 427

Coupled mechanical and helicon oscillations . . J. A. DELANEY and A. B. PIPPARD 435

Shubnikov–de Haas oscillations in neutron–irradiated graphite . . . . . J. D. COOPER, J. P. SMITH, J. WOORE and D. A. YOUNG 442

Regularity of the density of states in Anderson's localized electron model . . . . . J. T. EDWARDS and D. J. THOULESS 453

Magnetoresistance of linear networks of coupled orbits I. Calculations for partial phase coherence . . . . . R. C. YOUNG 458

Magnetoresistance of linear networks of coupled orbits II. Large amplitude quantum oscillations in tin . . . . . R. C. YOUNG 474

Resonant reflection of sound from the surface of a paramagnet . . . E. M. IOLIN 492

Theory of two-magnon Raman scattering in the spin-flop phase of antiferromagnets . . . . . J. B. PARKINSON 498

Crystal field spectra of $3d^n$ impurities in zinc selenide . . E. M. WRAY and J. W ALLEN 512

The localized vibrations of hydride ions paired with divalent rare-earth impurities in calcium fluoride . . . . . D. N. CHAMBERS and R. C. NEWMAN 517

Ferromagnetic resonance in cobalt doped magnesium and manganese ferrites . . . . . M. ROSENBLOOM and R. W. TEALE 537

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted**: lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 15 April 1971 No. 5

LETTERS TO THE EDITOR

Zero point effects in nearly isotropic antiferromagnets R. B. STINCHCOMBE L79

An attempt to observe the double plasmon loss by electron spectroscopy D. L. MISELL and A. J. ATKINS L81

Modified muffin tin potentials for the band structure of semiconductors J. KELLER L85

PAPERS

On the itinerant oscillator model of liquids and the behaviour of coupled harmonic oscillators in the presence of random forces B. CAROLI, G. JANNINK and D. SAINT-JAMES 545

Itinerant oscillator models and dielectric absorption in liquids G. WYLLIE 564

The scattering of electrons from impurities in crystals J. WARREN BLAKER and R. HARRIS 569

Nucleation and critical condensation phenomena of silver on silicon oxide P. T. STROUD 577

Ionic conductivity of crystalline potassium thiocyanate A. V. CHADWICK, A. J. COLLINS and J. N. SHERWOOD 584

The electrostatic image potential in metal–semiconductor junctions J. C. INKSON 591

Metal–semiconductor transition in single crystal hexagonal nickel sulphide M. G. TOWNSEND, R. TREMBLAY, J. L. HORWOOD and L. J. RIPLEY 598

Some numerical results on the Kondo problem and the inverse square one-dimensional Ising model P. W. ANDERSON and G. YUVAL 607

Dynamical characteristics of a Heisenberg spin cluster T. H. KWON, J. DABOUL and H. A. GERSCH 621

Secular relaxation of nuclear-like modes in hyperfine coupled spin systems D. SHERRINGTON 625

Identification of edge and exciton emission centres in CdTe F. J. BRYANT, D. H. J. TOTTERDELL and W. E. HAGSTON 641

A temperature dependent hyperfine interaction in n-type silicon D. E. DUGDALE, S. D. LACEY and G. LANCASTER 654

The hyperfine interactions of fluorine ions in the vicinity of Cr^{3+} and Cr^{+} in $KMgF_3$ part I: ^{19}F and ^{53}Cr ENDOR measurements J. J. DAVIES and K. HORAI 502

The hyperfine interactions of fluorine ions in the vicinity of Cr^{3+} and Cr^{+} in $KMgF_3$ part II: Over-lap contributions to the second nearest fluorine interaction J. J. DAVIES and K. HORAI 503

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 30 April 1971 No. 6

LETTERS TO THE EDITOR

Cyclotron resonance of polarons in KI. Dependence of carrier temperature on chemical purity
G. T. JENKIN, J. W. HODBY and U. GROSS L89

Polarized optical bleaching of the irradiation-induced 443 nm band in cubic β–PbF_2
B. F. ROSE L91

Significance of the ensemble average of the Green function for a random system D. J. THOULESS L92

Special aspects of the electronic structure of a one dimensional random alloy
J. E. GUBERNATIS and P. L. TAYLOR L94

PAPERS

An electron diffraction study of solidified binary mixtures of nitrogen with argon, neon or xenon
A. E. CURZON and M. J. EASTELL 689

Diffraction in crystals at high energies M. V. BERRY 697

The behaviour of Wannier excitons in very thin crystals G. JONES and J. L. BREBNER 723

Positron states in ionic media M. BERTOLACCINI, A. BISI, G. GAMBARINI and L. ZAPPA 734

On the ion electronic polarizabilities in a class of noncubic AB_2 halide crystals
J. SCHMIT and A. LUCAS 746

Generalized spin susceptibility in the correlated narrow energy band model—ferromagnetic phase
C. F. OSBORNE 757

Spin temperature treatment of cross relaxation in low fields G. PARRY-JONES and J. T. DAYCOCK 765

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2 etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink or tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 28 May 1971 No. 7

LETTERS TO THE EDITOR

A similarity transformation of the Schrödinger equation and its application in pseudo potential theory W. A. Waeber and E. P. Stoll L97

Pseudopotentials for core electrons in ionic crystals J. A. D. Matthew and B. Green L101

Surface Green function by matching B. Velicky and I. Bartos L104

Are the localized states in a disordered solid singly occupied? M. A. Ball L107

Stark effect of the F^+ centre in CaO A. L. Harmer, W. Hayes and M. C. M. O'Brien L108

PAPERS

The density of states of the Anderson model of cellular disorder in the coherent potential approximation F. Brouers 773

A theory of nonlinear acoustic waves in a piezoelectric semiconductor B. K. Ridley 783

Investigation of the stresswave generated in CdS crystals by transient acoustoelectric interaction D. J. Somerford and W. E. Spear 795

Magnetic properties of assemblies of single domain elliptical platelets R. Heuberger and I. Joffe 805

The magnetic structure of antiferromagnetic $DyVO_4$ G. Will and W. Schafer 811

Faraday rotation of rare earths in crystals P. W. Y. Lung 820

Absorption spectrum of 2-naphthoic acid: pure and mixed crystal M. K. Chaudhuri 827

290 K spin Hamiltonian parameters for Gd^{3+} in lanthanum ethylsulphate at 5, 10 and 35 GHz H. A. Buckmaster, R. Chatterjee and Y. H. Shing 832

Paramagnetic resonance in ground and optically excited states of Tm^{2+} in alkalin eearth fluorides W. Hayes and P. H. S. Smith 840

CORRIGENDA 852

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS
Vol. 4 14 June 1971 No. 8

LETTERS TO THE EDITOR

The thermal expansion of rubidium chloride at low temperatures
R. F. Cooper and B. Yates L113

Ultrasonically modulated electron resonance
M. A. Collins, S. D. Devine, R. A. Hoffman and W. H. Robinson L116

Generalization of the coherent-potential approximation. I Electronic structure of disordered alloys
S. Takeno L118

Generalization of the coherent-potential approximation. II Electronic structure of amorphous solids, glassy solids and liquids
S. Takeno L121

Generalization of the coherent-potential approximation. III Electronic structure of liquid metals
S. Takeno L123

Spin flip Raman scattering of harmonically generated 5·3 μm radiation
R. L. Allwood, R. B. Dennis, R. G. Mellish, S. D. Smith, B. S. Wherrett and R. A. Wood L126

Comments on spin Hamiltonian hyperfine operators
H. A. Buckmaster, R. Chatterjee and Y. H. Shing L130

Comment on Marčelja's 'Resistivity of antiferromagnets above the Néel temperature'
M. Ausloos and K. Kawasaki L132

New absorption bands in flourites by heavy gamma irradiation
K. S. V. Nambi, and T. Higashimura L134

Asymmetric line shape of excitons localized in thin crystals
G. Jones and J. L. Brebner L137

Response to a suddenly switched localized spin perturbation
G. Toulouse L140

PAPERS

Mobility of a heavy impurity in ^{3}He and in ^{3}He–^{4}He mixtures
R. M. Bowley 853

Temperature dependence of phonon frequencies in argon by inelastic neutron scattering
D. N. Batchelder, B. C. G. Haywood and D. H. Saunderson 870

The low temperature heat capacities of ferrous bromide and ferrous iodide
R. M. Brade and B. Yates 876

Direct calculation of the tunnelling current
C. Caroli, R. Combescot, P. Nozieres and D. Saint-James 884

Electrical properties of flash evaporated ferroelectric $BaTiO_3$ thin films
J. R. Slack and J. C. Burfoot 898

Nonlinear acoustoelectric gain for many waves with random phases
P. N. Butcher and J. Slechta 910

Superexchange between Ir^{4+} ions in the hexachloroplatinates
G. E. Stedman and D. J. Newman 916

Computations involving two orders of the orbit–lattice interaction
J. M. Baker 930

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 28 June 1971 No. 9

LETTERS TO THE EDITOR

On deviations from Matthiesen's rule D. A. SMITH L145

A justification of Hubbard's decoupling scheme D. K. GHOSH L147

Analysis of electrical measurements of ion implanted layers in semiconductors P. R. C. STEVENS and A. W. TINSLEY L150

Resistive anomalies of antiferromagnets above the Néel point D. J. W. GELDART L153

The angular dependence of strain broadened resonance lines J. R. FLETCHER L156

On the calculation of electron scattering factors from the free atom formulation P. A. CHILDS and D. L. MISELL L158

Note on the reorientation process in solid ethylene K. VAN PUTTE and J. VAN DEN ENDEN L161

Structure factors and Compton profile for LiH calculated from selfconsistent local orbital wave functions J. FELSTEINER, R. FOX and S. KAHANE L163

Bounds for the Hartree-Fock effective exchange interaction and the static dielectric constants L. DAGENS L165

The ground state energy, pressure and compressibility of solid ^{3}He at high pressures G. G. CHELL L168

Anistropy of the cubic Fe_3S_4 induced in an electrostatic field S. YAMAGUCHI, H. WADA and H. NOZAKI L172

The influence of the band structure on the Auger electron spectrum of silicon H. D. MAGUIRE and P. D. AUGUSTUS L174

Theory of co-operative Jahn-Teller distortions in $DyVO_4$ and $TbVO_4$ R. J. ELLIOTT, G. A. GEHRING, A. P. MALOZEMOFF, S. R. P. SMITH, W. S. STAUDE and R. N. TYTE L179

PAPERS

Entropy of formation of vacancy pairs in alkali halides D. ROY and A. K. GHOSH 941

The application of group theory to perturbative measurements on colour centres I. K. LUDLOW 944

Lattice dynamics of RbBr S. ROLANDSON and G. RAUNIO 958

Acoustic attenuation in II–VI compounds at microwave frequencies D. H. R. PRICE 966

The effects of mechanical loading on the electrical performance of an acoustoelectric oscillator S. S. O. TUAMA and J. RICHTER 971

Anharmonic contributions to the thermodynamic properties of sodium chloride E. R. COWLEY 988

Excitonic spectrum of a nonequilibrium electronic solid state plasma N. K. MARTINOV 998

Perturbation theory and chemical bonding in NaTl J. E. INGLESFIELD 1003

Van Vleck temperature independent paramagnetism in some rare earth double nitrates J. J. EARNEY, C. B. P. FINN and B. M. NAJAFABADI 1013

Validity of the Weisskopf–Wigner linewidth–lifetime relation for spectral lines broadened by phonon interaction G. E. STEDMAN 1022

Multiphonon selection rules for infrared absorption and Raman scattering in ferroelectric and paraelectric sodium nitrite S. D. DEVINE 1036

A comparison of the photoluminescent and electroluminescent spectra of Er^{3+} in ZnSe M. R. BROWN, A. F. J. COX, W. A. SHAND and J. M. WILLIAMS 1049

Thermoluminescence and colour centres in LiF crystals irradiated at room temperature T. NAKAJIMA 1060

Effect of iodine anions on the spectral characteristics of tin-activated potassium chloride single crystals K. KYNEV and V. TABAKOVA 1069

Quantum tunnelling effects on nuclear magnetic resonance line width S. CLOUGH 1075

BOOK REVIEWS 1082

CORRIGENDUM 1084

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C

SOLID STATE PHYSICS

Vol. 4 30 July 1971 No. 10

LETTERS TO THE EDITOR

Spectroscopic data and parameters . . . D. J. NEWMAN L185

The electronic band structure of V_3Ga and V_3Si . . I. B. GOLDBERG and M. WEGER L188

Metal-insulator transition in transition metal oxides . . V. HEINE and L. F. MATTHEISS L191

Spin waves in disordered antiferromagnets . . R. C. JONES and S. F. EDWARDS L193

Improved resolution of small resonance shifts of dilute nuclear spin systems in solids by pulsed double resonance . . . . . P. MANSFIELD and P. K. GRANNELL L197

Reflectance spectra of alkaline earth fluorides in the vacuum ultraviolet . . . . . W. HAYES, A. B. KUNZ and E. E. KOCH L199

Dielectric response in piezoelectric crystals . . . . . R. A. COWLEY, G. J. COOMBS, R. S. KATIYAR, J. F. RYAN and J. F. SCOTT L203

Mobility of an impurity in a Fermi liquid: analogy with a phase transition . R. M. BOWLEY L207

The polarization catastrophe in defect calculations in ionic crystals . . I. D. FAUX L211

Transition energies of F^+ centres in alkaline earth oxides . B. HENDERSON and K. C. TO L216

Debye θ of some alkali halides by x ray diffraction and the law of corresponding states . . . . . P. D. PATHAK and J. M. TRIVEDI L219

Proof of an energy gap in a model of amorphous Ge . . . . . V. HEINE L221

Dispersion of optical coefficients in semiconductors . . . . . H. PURSEY L223

Rayleigh and Brillouin scattering from superfluid ^3He–^4He mixtures . . . . . C. J. PALIN, W. F. VINEN, E. R. PIKE and J. M. VAUGHAN L225

The scaling laws for percolation processes . . J. W. ESSAM and K. M. GWILYM L228

PAPERS

Kapitza conductance due to helium atoms interacting with a surface . . . . . G. A. TOOMBS and L. J. CHALLIS 1085

Group theoretical selection rules for inelastic neutron scattering with applications to $LiNbO_3$ . . . . . S. DEVINE and G. PECKHAM 1091

Two-electron jumps in the potassium Kβ x ray spectrum . J. UTRIAINEN and T. ÅBERG 1105

Schottky defect energies in CsCl structure type crystals . . . . . C. S. N. MURTHY and Y. V. G. S. MURTI 1108

New relations between elastic constants of different orders under central force interactions . . . . . C. S. G. COUSINS 1117

On the attenuation of 9·4 GHz longitudinal hypersonic waves in some trigonal crystals . . . . . W. LIEKENS, L. MICHIELS and A. DE BOCK 1124

V centres produced in KBr and KCl at 290 K by electron irradiation . . . . . C. D. CLARK and D. H. NEWMAN 1130

Localized states in disordered systems . . . . . D. C. HERBERT and R. JONES 1145

Ground states of shallow donors in silicon and germanium . . . . . M. JAROŠ 1162

Transverse collective excitations in charged systems: cross section for magnetic neutron scattering and diamagnetic susceptibility . . . . . T. SCHNEIDER 1168

Spin–phonon interactions in compressible Ising magnet—II . B. S. LEE and H. C. BOLTON 1178

A comparison between the transport properties of single crystal, polycrystal and powder anisotropic semiconductors . . . . . D. J. RYDEN 1193

Covalency and orbit–lattice coupling . . . . . M. C. G. PASSEGGI and T. BUCH 1207

Normal mode assignments in vitreous silica, germania and beryllium fluoride . . . . . R. J. BELL, P. DEAN and D. C. HIBBINS-BUTLER 1214

Modifications to the magnetic g tensor of a Pt^+ ion in ruby due to the Jahn–Teller effect . . . . . J. M. DIXON 1221

Electron spin resonance of europium in silver chloride S. U. CHEEMA and M. J. A. SMITH 1231

Paramagnetic resonance studies of V^{2+} and Cr^{3+} in orthorhombic symmetry sites in magnesium oxide . . . . . A. J. B. CODLING and B. HENDERSON 1242

Paramagnetic resonance of VO^{2+}, Cr^{3+} and Fe^{3+} in zoisite . . . . . D. R. HUTTON 1251

ENDOR and relaxation in systems with $I = S = \frac{1}{2}$: $^{169}Tm^{2+}$ and $^{171}Yb^{3+}$ in CaF_2 . . . . . J. M. BAKER 1258

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2 etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink or tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 16 August 1971 No. 11

LETTERS TO THE EDITOR

The role of spin fluctuations in metal–nonmetal transitions . . . . R. M. WHITE L233

van der Waals forces and critical phenomena . . . . . K. W. SARKIES, B. W. NINHAM and P. RICHMOND L235

Comment on 'narrow band solution to the Hubbard model' . . . . . J. A. BLACKMAN and D. M. ESTERLING L238

Reorientation of trivalent cation–intersitial fluorine pair in CaF_2 . . . . . A. D. FRANKLIN and J. CRISSMAN L239

Screening of a charged impurity in a magnetic field II. Oscillatory terms . . . . . A. K. DAS and J. E. HEBBORN L242

The potential distribution in amorphous semiconductors . . . . . T. LUKES, B. NIX and B. A. ROGERS L246

PAPERS

The scattering of atoms from surfaces: a model . . J. L. BEEBY and L. DOBRZYNSKI 1269

The magnetic diffuse scattering of neutrons by isolated metal ions: Cr^{3+} in Al_2O_3 . . . . . B. C. TOFIELD and B. E. F. FENDER 1279

A Born model calculation of the energies of vacancies, ion interstitials and inert gas atoms in strontium and barium fluorides . . . . . M. J. NORGETT 1284

The electronic levels of the F_1 centre in MgO and CaO . . . M. J. NORGETT 1289

Optical phonons in MnO . . . . . B. C. HAYWOOD and M. F. COLLINS 1299

The low temperature anharmonic attenuation of transverse hypersonic waves in anisotropic cubic crystals . . . . . P. J. KING 1306

Density functional theory and the von Weizsäcker method . W. JONES and W. H. YOUNG 1322

Energy losses in hopping conduction at high electric fields . . . A. K. JONSCHER 1331

Poole–Frenkel conduction in high alternating electric fields . A. K. JONSCHER and C. K. LOH 1341

Electrical conduction in single crystal trigonal selenium . . . . G. G. ROBERTS 1348

The microscopic dielectric function and charge density in germanium . . . . . P. K. W. VINSOME and M. JAROŠ 1360

The Heisenberg ferromagnet in the selfconsistently renormaliced spin wave approximation . . . . . P. D. LOLY 1365

Theoretical derivation of the higher order electron–nuclear interaction terms in the spin Hamiltonian for d^3 ions in cubic symmetry . . . A. S. WOODWARD and R. CHATTERJEE 1378

Optical absorption in metals and semiconductors. Relaxation and finite hole mass effects . . . . . C. WOOD and W. E. PARRY 1387

Epr measurements on exchange-coupled pairs of V^{3+} ions in $KMgF_3$ S. R. P. SMITH and J. OWEN 1399

Exchange interactions between V^{2+} ions in magnesium oxide . . . . . A. J. B. CODLING and B. HENDERSON 1409

A recipe for calculating magnetic resonance line shapes . . . . J. C. GILL 1420

Nuclear resonance of ^{27}Al in three rare earth aluminates from room temperature to 1·4 K . . . . . D. T. EDMONDS and G. P. GILL 1426

Molecular motion in nmr—a model . . . . . T. B. SMITH 1437

Symmetrized pulse sequences in high resolution nmr in solids . . . . P. MANSFIELD 1444

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 31 August 1971 No. 12

LETTERS TO THE EDITOR

Effects of resonant states on the exchange interaction in alloys . . . . E-N. Foo L251

PAPERS

Experimental study of the triplet correlation function for simple liquids . . . . P. A. Egelstaff, D. I. Page and C. R. T. Heard 1453
Velocity autocorrelation function and diffusion coefficient in a liquid . . T. Gaskell 1466
Spin diffusion in liquid helium 3 . . . . . A. Tyler 1479
Radiation damage in magnesium oxide I: Dose dependence of reactor damage . . . . B. Henderson and D. H. Bowen 1487
Radiation damage in magnesium oxide II: Effect of pre-irradiation annealing in hydrogen . . . . B. Henderson, D. H. Bowen, A. Briggs and R. D. King 1496
Magneto-optical properties of the Cd^+ ion in x irradiated alkali halides . . . . J. H. Beaumont, W. Hayes and R. T. S. Laiho 1505
Exact evaluation of the body centred cubic lattice Green function . . G. S. Joyce 1510
On the temperature dependence of the sound attenuation maximum as a function of frequency near the Néel point in MnF_2 . . . . M. F. Cracknell and A. G. Semmens 1513
Investigation of the acoustoelectric excitation in n-InSb by 35 GHz helicon transmission . . . . F. Seifert and E. Leitner 1519
Thermoreflectance studies of thin epitaxially deposited (InGa)P alloys . . . . A. H. Lettington, D. Jones and R. Sarginson 1534
Symmetry properties of the localized potentials in the electron–phonon interaction . . . . J. Ginter and J. Mycielski 1540
F-centre electronic energy levels: a pseudopotential calculation for NaCl . K. Krishan 1550
Excitations from the spin-density wave ground state . . . . A. E. K. Dowson 1560
Electrical conductivity in n type InSb as a function of magnetic field at ^3He temperatures . . . . D. J. Somerford 1570
Energy levels and g values of vanadium corundum . H. U. Rahman and W. A. Runciman 1576
The energy loss of fast electrons in evaporated amorphous films of germanium for the spectral region 2–50 eV . . . . D. L. Misell and R. A. Crick 1591
Stress induced dichroism in n type germanium . . A. K. Walton and G. P. Williams 1601
Thermoluminescence of x ray irradiated KBr and KBr:Cu crystals . . . . Y. V. G. S. Murti, K. R. N. Murthy and C. Ramasastry 1606
Electron traps in deformed KCl . . . . C. D. Clark and D. H. Newman 1615
Interactions between certain ions in rare earth ethyl sulphates . . . . R. J. Anderson, J. M. Baker and R. J. Birgeneau 1618
Interactions between rare earth ions in the ethyl sulphates . . . . J. M. Baker 1631

BOOK REVIEWS 1644

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS
Vol. 4 17 September 1971 No. 13

LETTERS TO THE EDITOR

Crystallographic studies of irradiation/field treated triglycine sulphate: a new structure form
S. R. FLETCHER, A. C. SKAPSKI and E. T. KEVE L255

Diffuse magnetic scattering of neutrons from polycrystalline MnF_2 at 4·2K
J. H. SMITH and E. R. VANCE L258

The V_{OH} centre in strontium oxide W. B. J. BLAKE, H. A. GITELSON and J. E. WERTZ L261

The electrostatic deflection of sputtered ions by the incident sputtering beam
P. BRYCE, J. RICHARDS and J. C. KELLY L263

Thermodynamic properties of a spin–phonon system J. W. TUCKER L266

A minimum perturbation pseudopotential in terms of phase shifts
V. HEINE and J. E. SHIVELY L269

Single site coherent potentials for cellular and structural disorder
D. E. THORNTON and S. SAMPANTHAR L271

Electroreflectance and band structure of gallium selenide
A. BALZAROTTI, M. PIACENTINI, E. BURATTINI and P. PICOZZI L273

The effective mass and q dependent dielectric function of simple semiconductors D. BRUST L278

Electric quadrupole interaction in cubic nitrogen J. FELSTEINER L281

Further comments on the shape dependent demagnetizing field in ferromagnetic resonance
P. DAVID and M. HEATH L282

PAPERS

Mobility of an impurity in liquid helium II R. M. BOWLEY 1645

On the evaluation of some useful lattice sums on ionic crystal structures
M. P. VERMA and H. H. LAL 1652

About the inversion of some matrices arising in the dynamics of crystal lattices with defects
O. LITZMAN and M. BARTUŠEK 1656

Radiation intensity dependence of the first stage F colouring in NaCl
F. AGULLÓ-LÓPEZ and C. SANCHEZ 1660

Theory of F centres in alkaline earth fluorides
R. H. BARTRAM, A. L. HARMER and W. HAYES 1665

An electron gas model for the lattice dynamics of lanthanides
S. S. KUSHWAHA and A. KUMAR 1674

Phonons in anharmonic metals N. M. PLAKIDA 1680

Thermal and magnetic properties of Pr^{3+} and Er^{3+} ions in a crystal field with C_{3h} site symmetry
VISHWAMITTAR, S. P. TANEJA and S. P. PURI 1692

Anharmonic contribution to the entropy of solids. Analysis of KF S. VIEIRA and M. HORTAL 1703

The thermal conductivity of highly orientated pyrolytic boron nitride
A. SIMPSON and A. D. STUCKES 1710

Thermodynamical discussion of a linear approximation to the Fermi–Dirac distribution function
L. F. DONÀ DALLE ROSE 1719

The effects of interrupted neutron irradiation on strain amplitude dependent internal friction in NaCl I. E. FRENCH 1725

Band theory of the quantum size effect for a simple model . . . A. A. COTTEY 1734

A numerical comparison of the APW and KKRZ methods of band structure calculation . . . M. J. LAWRENCE 1737

The electronic structure of disordered systems: I. The density of states of the Anderson tight binding model . . . M. A. BALL 1747

The ac conductivity of disordered systems . . . J. L. BEEBY and T. M. HAYES 1757

The Sondheimer size effect in indium single crystals . . . H. J. TRODAHL 1764

The electrical conductivity of crystalline sodium chloride . . . A. R. ALLNATT, P. PANTELIS and S. J. SIME 1778

The nature of the acceptor centre in semiconducting diamond . . . A. T. COLLINS and A. W. S. WILLIAMS 1789

Negative differential mobility of electrons in germanium: A Monte Carlo calculation of the distribution function, drift velocity and carrier population in the ⟨111⟩ and ⟨100⟩ minima . . . W. FAWCETT and E. G. S. PAIGE 1801

Intervalley scattering in n type Ge from a Hall effect experiment to high pressures . . . K. FLETCHER and G. D. PITT 1822

A simple derivation of the s–d exchange interaction . . . U. LARSEN 1835

Calibration of superconductor magnetization data . . . D. WARD and J. SUTTON 1837

Crystal fields and magnetic anistropy in the molecular field approximation: I. General considerations . . . G. J. BOWDEN, D. ST. P. BUNBURY and M. A. H. MCCAUSLAND 1840

Spin wave calculations in the t matrix approximation with many bands . . . K. Y. CHAN and W. YOUNG 1855

Optical absorption by Cu–Mn pairs in $KZnF_3$ . . . J. FERGUSON, H. J. GUGGENHEIM and E. R. KRAUSZ 1866

Absorption intensities of molecular crystals . . . L. A. DISSADO 1874

Selection rules and symmetry for optical absorption spectra in praseodymium: lanthanum ethyl sulphate . . . D. R. NICOL 1885

Quenching of photoconductivity and luminescence in natural crystals of mercury sulphide . . . G. G. ROBERTS and R. ZALLEN 1890

Determination of the asymmetry parameter of the electric field gradient of ^{35}Cl resonances in mercuric chloride . . . G. CHAKRAPANI, G. SATYANANDAM and C. R. K. MURTY 1898

A nuclear magnetic resonance investigation of solid 1,3,5-cycloheptatriene . . . J. R. BROOKEMAN and F. A. RUSHWORTH 1903

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 7 October 1971 No. 14

LETTERS TO THE EDITOR

Light scattering by superfluid helium under pressure W. F. VINEN L287
The composition dependence of energy bands in mixed semiconductor systems with zincblende structures D. RICHARDSON L289
Anomalous magnetic behaviour of gadolinium borides Z. FISK, R. H. TAYLOR and B. R. COLES L292
Transferred hyperfine interactions for Mn^{2+} in MgO P. FREUND, B. F. HANN and J. OWEN L296

PAPERS

Statistical mechanical calculation of the surface properties of simple liquids I: The distribution function $g_{(1)}(z)$ C. A. CROXTON and R. P. FERRIER 1909
Statistical mechanical calculation of surface properties of simple liquids II: The distribution function $\rho_{(2)}(z_1, r_{12})$ C. A. CROXTON and R. P. FERRIER 1921
Anharmonic contribution to the Mössbauer fraction of ^{83}Kr in solid krypton S. S. NANDWANI, D. RAJ and S. P. PURI 1929
Isoelectronic impurities in semiconductors: a survey of binding mechanisms J. W. ALLEN 1936
Divalent ions in alkali halides II $NaCl: Mn^{2+}$ evaluation of vacancy jump kinetics H. F. SYMMONS 1945
Dielectric loss, optical absorption spectra and electrical conductivity of lead doped alkali halides S. C. JAIN, K. S. K. SAI and K. LAL 1958
High dose proton irradiation of alkali halides A. E. HUGHES and D. POOLEY 1963
The localized vibrations of Sr^{2+}–H^- and Ba^{2+}–H^- pairs in calcium fluoride D. N. CHAMBERS 1977
Elastic constants of a NiO single crystal: I P. DE V. DU PLESSIS, S. J. VAN TONDER and L. ALBERTS 1983
A note on the extension of the Lifshitz theory of van der Waals forces to magnetic media P. RICHMOND and B. W. NINHAM 1988
Lattice–lattice scaling and the generalized law of corresponding states D. D. BETTS, A. J. GUTTMANN and G. S. JOYCE 1994
The lattice dynamics of calcium oxide D. H. SAUNDERSON and G. E. PECKHAM 2009
Isomorphisms and the spin–phonon interaction for $(3d)^n$ ions C. A. BATES, P. E. CHANDLER and K. W. H. STEVENS 2017
Interaction of Frenkel excitons with phonons in anthracene J. SLECHTA 2024
Localization of electron states in two dimensional disordered potential arrays K. E. KHOR and P. V. SMITH 2029
Derivation of the band tailing in the Anderson model K. E. KHOR and P. V. SMITH 2041
Energy bands of hexagonal FeGe via the augmented plane wave method H. NAZARENO, G. CARABELLI and J.-L. CALAIS 2052
Explicit local exchange–correlation potentials L. HEDIN and B. I. LUNDQVIST 2064
Magnetic freeze-out in n type indium antimonide R. MANSFIELD 2084
The application of high frequency thermal propagation data to the measurement of phonon relaxation times S. SIMONS 2089
Quantum field theoretical treatment of a dynamical model of the ferroelectric KDP G. D. HOUSTON and H. C. BOLTON 2097
A Green function theory of spin waves in randomly disordered magnetic systems I. The ferromagnet S. F. EDWARDS and R. C. JONES 2109
Excitations in $KCoF_3$ I. Experimental T. M. HOLDEN, W. J. L. BUYERS, E. C. SVENSSON, R. A. COWLEY, M. T. HUTCHINGS, D. HUKIN and R. W. H. STEVENSON 2127
Excitations in $KCoF_3$ II. Theoretical W. J. L. BUYERS, T. M. HOLDEN, E. C. SVENSSON, R. A. COWLEY and M. T. HUTCHINGS 2139
High temperature neutron diffraction study of $Fe_{1-x}O$ A. K. CHEETHAM, B. E. F. FENDER and R. I. TAYLOR 2160
A broken symmetry approach to metastability D. C. HERBERT 2166
Proton spin–lattice relaxation due to tunnelling motions S. CLOUGH 2180
Two phonon absorption in ferroelectric sodium nitrite G. D. HOLAH 2191
Faraday effect in cubic semiconductors with nonquadratic energy surfaces J. M. BRETTELL 2202
Sign reversal of the photon drag effect in p type germanium A. F. GIBSON and A. C. WALKER 2209
The molecular dynamics of solid cyclohexane by Mössbauer scattering D. C. CHAMPENEY and D. F. SEDGWICK 2220
Photoluminescence associated with the 1·673, 1·944 and 2·498 eV centres in diamond C. D. CLARK and C. A. NORRIS 2223
Electron spin resonance of electron irradiated germanium dioxide G. F. J. GARLICK, J. E. NICHOLLS and A. M. OZER 2230

BOOK REVIEW 2240

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England. The submission of papers is not restricted to Members of the Institute and Society. There are no page charges to authors.

Papers should be as concise as possible and must conform to the following specifications:

(1) The manuscript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the manuscript.

(6) An abstract not exceeding 200 words should accompany each manuscript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2, etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the manuscript.

(11) Two copies of each manuscript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the manuscript, may be photocopies.

(12) Drawings must be in Indian ink on tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the manuscripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines or graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23/29 Marsh Street, Bristol BS1 4BP, England.

JOURNAL OF PHYSICS C
SOLID STATE PHYSICS

Vol. 4 28 October 1971 No. 15

LETTERS TO THE EDITOR

High field and ac properties of stearic acid films . . M. H. NATHOO and A. K. JONSCHER L301

Diffusion coefficients for the inverse twelfth power repulsive potentials . . . . . M. ROSS and P. SCHOFIELD L305

Attenuation of longitudinal hypersonic waves in Z-cut quartz . . . . . W. LIEKENS, L. MICHIELS and A. DE BOCK L308

Evidence for positronium-like states in alkali halides . . . . . A. BISI, A. DUPASQUIER and L. ZAPPA L311

Symmetry analysis and electronic states in cubic ice . . . . . G. PASTORI-PARRAVICINI and L. RESCA L314

Acoustic anomalies in Jahn–Teller coupled systems . . . . . R. J. ELLIOTT, A. P. YOUNG and S. R. P. SMITH L317

On the Ising model with impurities . . . . . D. C. RAPAPORT L322

PAPERS

A note on linear response theory in a microcanonical ensemble . . . A. R. BISHOP 2241

Electrical properties of liquid selenium up to 1300 K . . . . . H. GOBRECHT, F. MAHDJURI and D. GAWLIK 2247

Temperature and density dependence of the Lorentz–Lorenz function of fluid xenon near the critical region . . . . . D. Y. PARPIA and B. L. SMITH 2254

Line structure in the continuous x ray spectrum: a crystallographic approach in the kinematic approximation . . . . . J. A. ELLIOTT 2258

Neutron and x ray diffraction studies of certain doped nickel ferrites . K. N. SUBRAMANYAM 2266

Calculated infrared absorption induced by impurities in CsCl and CsI . . T. P. MARTIN 2269

The ferromagnetic phase transition beyond the random phase approximation M. R. BHAGAVAN 2278

Ion–lattice interactions in rare earth compounds . . . . . K. W. H. STEVENS 2297

Lattice dynamics of urea . . . . . D. R. MCKENZIE and A. W. PRYOR 2304

Dependence of surface conduction current in oxidized polyethylene on electric field at various humidities . . . . . G. SAWA and J. H. CALDERWOOD 2313

On the mathematical formalism used in some recent papers on nonlinear acoustoelectric phenomena . . . . . P. N. BUTCHER, M. H. JØRGENSEN and B. VINTER 2319

The influence of the Poley absorption on the inertial fall-off of the dielectric absorption . . . . . N. E. HILL 2322

The properties of exchange-coupled triads of Cr^{3+} ions in ruby C. A. BATES and R. F. JASPER 2330

The relaxation of exchange coupled triads in ruby . . C. A. BATES and R. F. JASPER 2341

Surface spin waves in an anisotropic Heisenberg antiferromagnet . . . C. F. OSBORNE 2354

The Ising model with a transverse field—I High temperature expansion R. J. ELLIOTT and C. WOOD 2359

The Ising model with a transverse field—II Ground state properties . . . . . P. PFEUTY and R. J. ELLIOTT 2370

A study of hyperfine interactions in the system $(Fe_{1-x}Rh_x)_2O_3$ using the Mössbauer effect . . . . . J. M. D. COEY and G. A. SAWATZKY 2386

General dispersion relation identities for electron states in crystals . . A. P. ROBERTS 2408

Dynamics of the rutile structure III. Lattice dynamics, infrared and Raman spectra of SnO_2 . . . R. S. KATIYAR, P. DAWSON, M. M. HARGREAVE and G. R. WILKINSON 2421

CORRIGENDA 2432

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England. The submission of papers is not restricted to Members of the Institute. **There is no page charges to authors.**

Papers should be as concise as possible and must conform to the following specifications:

(1) The typescript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the typescript.

(6) An abstract not exceeding 200 words should accompany each typescript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2 etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the typescript.

(11) Two copies of each typescript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the typescript, may be photocopies.

(12) Drawings must be in Indian ink or tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the typescripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England.

JOURNAL OF PHYSICS C

SOLID STATE PHYSICS

Vol. 4 18 November 1971 No. 16

LETTERS TO THE EDITOR

Cluster expansion for the dilute Ising ferromagnet C. Domb L325
Integral equation approach to the exciton problem for intermediate binding M. Altarelli and B. F. Bassani L328
A selfconsistent field theory of electron localization in disordered systems: the Anderson transition K. F. Freed L331
Calculation of the charge distribution in zincblende alloy systems D. Richardson L335
A comparison of the EPM and DM methods for calculations in mixed zincblende alloys R. Hill and D. Richardson L339
Structural distortions in $MgCr_2O_4$ N. W. Grimes L342
Efficient yellow luminescence from vapour grown gallium phosphide with nitrogen content high R. Nicklin, C. D. Mobsby, G. Lidgard and P. B. Hart L344
Electron spin resonance studies on Cu^{2+} doped $Na_2Zn(SO_4)_2.4H_2O$ B. A. Sastry and G. S. Sastry L347

PAPERS

Statistical mechanical calculation of the surface properties of simple liquids: III. Surface tension C. A. Croxton and R. P. Ferrier 2433
Statistical mechanical calculation of surface properties of simple liquids: IV Molecular dynamics C. A. Croxton and R. P. Ferrier 2447
A hydrodynamic approach to the roton-limited mobility of ions in liquid helium C. S. M. Doake and P. W. F. Gribbon 2457
High temperature series expansions for a lattice model of critical behaviour in multicomponent systems J. Oitmaa 2466
Metal–nonmetal transition in magnetic systems R. Kishore and S. K. Joshi 2475
The application of Landau's theory of continuous phase transitions to magnetic phase transitions A. P. Cracknell 2488
Ion core scattering and low energy electron diffraction: I J. B. Pendry 2501
Ion core scattering and low energy electron diffraction: II J. B. Pendry 2514
The Jahn–Teller effect in a p state equally coupled to E_{2g} and T_{2g} vibrations M. C. M. O'Brien 2524
Vibronic properties of the F^+ absorption band in calcium oxide C. Escribe and A. E. Hughes 2537
Defect configuration for rare earth ions in zinc selenide M. R. Brown, A. F. J. Cox, W. A. Shand and J. M. Williams 2550
Temperature dependence of the force constants of NO_2^- in $NaNO_2$ G. D. Holah 2557
Magnetostriction of a NiO single crystal: II P. de V. du Plessis, S. J. van Tonder and L. Alberts 2565
A model of magnetostriction in an Ising system and its application to $PrCl_3$ and $NdCl_3$ R. A. Hunt 2572
Thermodynamic properties of a $S = 1$ spin–phonon system: Specific heat of Fe^{2+} in MgO F. B. Fidler and J. W. Tucker 2583
Influence of plasmons on Compton scattering A. Pimpale and C. Mande 2593
A direct calculation of the tunnelling current: II. Free electron description C. Caroli, R. Combescot, D. Lederer, P. Nozieresa nd D. Saint-James 2598
A direct calculation of the tunnelling current: III. Effect of localized impurity states in the barrier R. Combescot 2611
Calculation of periodic lattice Green functions, with applications to impurity levels in semiconductors T. Lukes, D. J. Morgan and S. Joshua 2623
Identification of the displaced atomic species for binary semiconducting compounds S. A. Hamid 2635
Magnetic field dependence of second harmonic generation, coherence lengths, and second order susceptibilities near the band edge in InSb H. G. Hafele, R. Grisar, C. Irslinger, H. Wachernig, S. D. Smith, R. B. Dennis and B. S. Wherrett 2637
The dielectric function in zincblende semiconductors P. K. W. Vinsome and D. Richardson 2650
Theory of dipole–dipole interactions in ferromagnets: I. The thermodynamic properties M. G. Cottam 2658
Theory of dipole–dipole interactions in ferromagnets: II. The correlation functions M. G. Cottam 2673
The smoothness postulate and the Ising antiferromagnet D. C. Rapaport and C. Domb 2684
Spin waves in an itinerant electron model of an antiferromagnet B. E. A. Fisher 2695
The ^{57}Fe quadrupole splitting generated by a single 3d electron in FeF_2 B. W. Dale 2705
The Jahn–Teller interaction and $3d^9$ ions at tetrahedral sites C. A. Bates and P. E. Chandler 2713

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England. The submission of papers is not restricted to Members of the Institute. **There are no page charges to authors.**

Papers should be as concise as possible and must conform to the following specifications:

(1) The typescript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the typescript.

(6) An abstract not exceeding 200 words should accompany each typescript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2 etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the typescript.

(11) Two copies of each typescript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the typescript, may be photocopies.

(12) Drawings must be in Indian ink or tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the typescripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England.

JOURNAL OF PHYSICS C

SOLID STATE PHYSICS

Vol. 4 9 December 1971 No. 17

LETTERS TO THE EDITOR

The Dirac and t matrices for spherically symmetric potentials . . . . J. S. ROUSSEAU L351

Three-body interactions and lattice sums in crystals . . . . J. A. BARKER, M. L. KLEIN, M. V. BOBETIC, I. J. ZUCKER, M. B. DORAN and G. G. CHELL L355

PAPERS

Multiple scattering of neutrons in liquid methane K. R. RAO, B. A. DASANNACHARYA and S. YIP 2725

Effect of three body force on the correlation energy of liquid ^{4}He . . . . R. K. BHADURI, Y. NOGAMI and C. K. ROSS 2734

Selfdiffusion in single crystals of sodium iodide I. M. HOODLESS, J. H. STRANGE and L. E. WYLDE 2737

Selfdiffusion studies in sodium iodide single crystals by nmr relaxation . . . . I. M. HOODLESS, J. H. STRANGE and L. E. WYLDE 2742

Lattice dynamics of LiH, LiF and LiCl . . . . M. P. VERMA and R. K. SINGH 2749

The free energy of cubic crystals at finite temperatures . . . . G. G. CHELL 2759

Microscopic considerations of long wavelength acoustic phonons in symmetry-induced zero gap semiconductors . . . . D. SHERRINGTON 2771

On the use of models for phonon collision operators . . . . S. SIMONS 2785

Optically induced hypersonic attenuation in germanium . . . . S. WILSON 2792

Discussion of possible mechanisms for the observed optically induced attenuation of longitudinal hypersound in germanium . . . . S. WILSON and R. HILL 2799

Thermodynamics of internal strain in perfect crystals . . . . T. H. K. BARRON, T. G. GIBBONS and R. W. MUNN 2805

Landau–Coulomb levels in a degenerate band . . . . G. J. REES 2822

Theory of ac loss in type II semiconductors in the Meissner state . . . . P. H. MELVILLE 2833

Density of states and barrier height of metal–Si contacts . . . . F. YNDURAIN 2849

Field emission from tungsten covered with germanium layers of atomic thickness . . . . N. NICOLAOU and A. MODINOS 2859

A method for the evaluation of tunneling probabilities through a slowly varying potential barrier containing potential holes . . . . A. MODINOS and N. NICOLAOU 2875

Quantum field theoretical treatment of a dynamical model of the ferroelectric KDP: II . . . . G. D. HOUSTON and H. C. BOLTON 2894

Impurity spin wave modes in a simple cubic Heisenberg ferromagnet . . . . R. C. JONES 2903

The paramagnetic susceptibility of the ferrite FeV_2O_4 . . . . P. DE V. DU PLESSIS 2919

The low temperature magnetic thermal expansion of $CuCl_2.2H_2O$ . . . . G. L. HARDING, P. C. LANCHESTER and R. STREET 2923

Spin waves in a dilute Heisenberg antiferromagnet . . . . C. F. OSBORNE 2929

Magnetic interactions in antiferromagnetic $DyPO_4$ . . . . C. J. ELLIS, M. J. M. LEASK, D. M. MARTIN and M. R. WELLS 2937

Orientation dependence of the ^{23}Na nuclear quadrupole spin–lattice relaxation in sodium nitrate . . . . D. G. HUGHES and K. REED 2945

The sensitization of rare earth photoluminescence in II–VI compounds: I. Er^{3+} in CdS:Ag . . . . A. F. J. COX and W. A. SHAND 2962

Cu^{2+} in ammonium fluoride—a tetrahedral site . . . . I. H. PARKER 2967

Ground states and photoionization of iron group transition metal impurities in semiconductors . . . . M. JAROS 2979

The F centre in MgF_2: I. Epr and Endor . . . . W. P. UNRUH, L. G. NELSON, J. T. LEWIS and J. L. KOLOPUS 2992

The F centre in MgF_2: II. Optical absorption and epr . . . . J. L. KOLOPUS, J. T. LEWIS, W. P. UNRUH and L. G. NELSON 3007

Complexes of trigonal symmetry involving hydride ions paired with trivalent rare earth ions in calcium fluoride . . . . D. N. CHAMBERS and R. C. NEWMAN 3015

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England. The submission of papers is not restricted to Members of the Institute. **There are no page charges to authors.**

Papers should be as concise as possible and must conform to the following specifications:

(1) The typescript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words including equivalent space for displayed equations, tables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the typescript.

(6) An abstract not exceeding 200 words should accompany each typescript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2 etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the typescript.

(11) Two copies of each typescript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the typescript, may be photocopies.

(12) Drawings must be in Indian ink or tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the typescripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England.

JOURNAL OF PHYSICS C

SOLID STATE PHYSICS

Vol. 4 31 December 1971 No. 18

LETTERS TO THE EDITOR

The scattering of helium atoms from surfaces — J. L. BEEBY L359
High frequency depolarized light scattering from liquid helium I and helium gas — E. R. PIKE and J. M. VAUGHAN L362
X ray Compton profile of LiCl — S. MANNINEN, O. INKINEN and V. HALONEN L366
A reduced Green function for finite solids — V. HALPERN L369
Electrical conduction in the Wigner lattice in n type InSb in a magnetic field — C. M. CARE and N. H. MARCH L372
The photon drag tensor in p type germanium — A. C. WALKER and D. R. TILLEY L376
Reflectivity of MoS_2 and $NbSe_2$ — W. Y. LIANG L378

PAPERS

Partial structure factors in a liquid or amorphous binary system using anomalous scattering — T. G. RAMESH and S. RAMASESHAN 3029
The partial structure factors of molten cuprous chloride from neutron diffraction measurements — D. I. PAGE and K. MIKA 3034
Equation of state and other associated properties of liquid argon and liquid methane — S. C. JAIN and V. S. NANDA 3045
Density fluctuations in classical monatomic liquids — S. W. LOVESEY 3057
Point defect calculations in diamond type crystals by the extended Hückel method: I. General theory and the vacancy problem — F. P. LARKINS 3065
Point defect calculations in diamond type crystals by the extended Hückel method: II. The substitutional impurity problem — F. P. LARKINS 3077
Anharmonicity in the alkaline earth fluorides — R. P. LOWNDES 3083
Fast perturbation schemes for low energy electron diffraction spectra — J. B. PENDRY 3095
Defect structure of calcium fluoride containing excess anions: I. Bragg scattering — A. K. CHEETHAM, B. E. F. FENDER and M. J. COOPER 3107
Tight binding energy band structure calculations for phthalocyanines: I. β-hydrogen phthalocyanine — S. C. MATHUR, J. SINGH and D. C. SINGH 3122
Electron states in glassy semiconductors — J. M. ZIMAN 3129
Long range order, short range order and energy gaps — J. KELLER 3143
The use of general potentials in the band structure calculation — R. EVANS and J. KELLER 3155
Thermally assisted tunnelling and pseudointrinsic conduction: Two mechanisms to explain the Meyer–Neldel rule — G. G. ROBERTS 3167
The charge density in zincblende semiconductors — P. K. W. VINSOME and D. RICHARDSON 3177
The interaction distance between flux lines and pinning centres — A. M. CAMPBELL 3186
Hopping conduction in gallium sulphide single crystals — S. G. PATIL and R. H. TREDGOLD 3199
Classical Heisenberg chain with random interactions — E. R. SMITH 3205
The spin wave contribution to the specific heat of Gd — A. K. SEDAGHAT and A. P. CRACKNELL 3215
Short range order in a compressible Ising system — B. S. LEE 3221
Neutron diffraction study of antiferromagnetic $DyAsO_4$ — W. SCHÄFER and G. WILL 3224
Configuration interaction and lanthanide crystal fields — D. J. NEWMAN, S. S. BISHTON, M. M. CURTIS and C. D. TAYLOR 3234
Localized vibrational modes of light impurities in gallium phosphide — F. THOMPSON and R. C. NEWMAN 3249
Temperature dependence of the vibronic spectrum and fluorescence lifetime of YAG:Cr^{3+} — W. A. WALL, J. T. KARPICK and B. DI BARTOLO 3258
The radiation-induced increase of the 100 °C thermoluminescence sensitivity of fired quartz — J. ZIMMERMAN 3265
The radiation-induced increase of thermoluminescence sensitivity of the dosimetry phosphor LiF (TLD–100) — J. ZIMMERMAN 3277
An epr study of Mn^{2+} in single crystals of BaO — P. WEIGHTMAN, D. E. DUGDALE and L. V. HOLROYD 3292
Effect of Fe^{2+} on electron spin relaxation for one transition of Fe^{3+} in corundum — G. RAOULT, A. GAVAIX, A. VASSON and A. M. VASSON 3297
The spectrum and magnetism of $[V(urea)_6]^{3+}$ — H. U. RAHMAN 3301
Magnetic scattering of neutrons by several unfilled shells configurations — A. MAHENDRA and D. C. KHAN 3307
Nuclear quadrupole resonance Zeeman spectra of chlorine in 3,4-dichloronitrobenzene — D. SASIKALA and C. R. K. MURTY 3322

CORRIGENDUM 3328

NOTES ON THE PREPARATION OF PAPERS

Papers will be considered for publication in the *Journal of Physics* series if they have not previously been published or submitted for publication elsewhere. They may be in English, French or German but title, abstract and figure captions in English must be provided. Papers should be submitted to The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England. The submission of papers is not restricted to Members of the Institute. **There are no page charges to authors.**

Papers should be as concise as possible and must conform to the following specifications:

(1) The typescript should be typed in double spacing on good quality paper on one side only.

(2) The size of the paper should be quarto (8 in × 10 in) or A4 (210 mm × 297 mm).

(3) There should be a margin of at least 1½ in (4 cm) on the left-hand side of the page.

(4) Contributions should not exceed 8000 words ncluding equivalent space for displayed equations, ables and illustrations.

(5) The author's name and the name of the establishment where the work was carried out should be typed on the first page of the typescript.

(6) An abstract not exceeding 200 words should accompany each typescript. It should contain a brief but informative summary of the contents and conclusions of the paper and should refer to any new information which it contains.

(7) Section headings should be numbered serially in arabic numbers, normally beginning with a section entitled 'Introduction' and ending with a section entitled 'Conclusions'. Sub-headings should be numbered in the style 2.1, 2.2 etc.

(8) Particular care should be taken with mathematical scripts, especially for complicated expressions. It is not necessary to give detailed derivations of mathematical expressions and formulae when the work is straightforward; it is generally sufficient to indicate the method of treatment and the final results.

(9) References in the text should be given in the form: (Jones 1968) or Jones (1968), as appropriate. At the end of the paper references should be arranged in alphabetical order of authors' names and in date order for each author. Both the first and last page numbers should be given.

(10) Captions to illustrations should be listed on a separate sheet at the end of the typescript.

(11) Two copies of each typescript should be submitted, with a third copy of the title and abstract page; there should also be three sets of diagrams, one of which must be suitable for reproduction as described in (12). The other two sets of illustrations, which should be attached to the copies of the typescript, may be photocopies.

(12) Drawings must be in Indian ink or tracing cloth, tracing paper or white card **with all lettering and numbers omitted:** lettering in a uniform style and in a size suitable for reproduction will be inserted subsequently by the publisher. The rough copies attached to the typescripts must however be lettered so that they can be used as guides.

The drawings should be sufficiently large to allow for reduction in printing but **must not** be larger than 12 in (30 cm) across. The lines should therefore be bold, but the frame lines of graphs should be slightly finer than those of the plotted curves. If the author is unable to submit drawings in the required form, arrangements can be made for these to be traced and the cost charged to the author. Authors are requested to check the accuracy of their drawings very carefully as no responsibility can be accepted for errors in the original diagrams. All illustrations, including photographs, must have the figure number and the author's name written in pencil in the top right-hand corner.

Further details are given in the booklet *Notes for Authors* obtainable free of charge from The Institute of Physics, Netherton House, 23 Marsh Street, Bristol BS1 4BT, England.